

## Pro-Foam+

### SECTION 1. IDENTIFICATION

**PRODUCT IDENTIFIER:**

PRO-FOAM+-GB

**OTHER MEANS OF IDENTIFICATION:**

PRO-FOAM+EU

**RECOMMENDED USE OF THE CHEMICAL:**

Please see label for instruction

**RESTRICTIONS ON USE:**

None known

**INFORMATION PHONE #:** +44 1159005858**MANUFACTURED BY:**DiversiTech Corporation  
3039 Premiere Parkway  
Suite 600  
Duluth, GA 30097**MANUFACTURED FOR:**DiversiTech International  
Glaisdale Drive East  
Nottingham  
NG8 4LY  
United Kingdom**EMERGENCY PHONE #:** 001 +1813 248 0585 Chem-Tel  
(Chemical Emergencies)

### SECTION 2. HAZARD IDENTIFICATION

**CLASSIFICATION OF THE CHEMICAL:**

Skin Corrosion, category 1

**HAZARD SYMBOL(S):****SIGNAL WORD:** Danger**HAZARD STATEMENT(S)**

H314 Causes severe skin burns and eye damage.

**PRECAUTIONARY STATEMENT(S)**

P102 Keep out of reach of children.  
P260 Do not breathe vapors  
P264 Wash hands and exposed skin thoroughly after handling.  
P280 Wear protective gloves and eye protection.  
P316 Get emergency medical help immediately.  
P321 Specific treatment (see FIRST AID section on this label).  
P363 Wash contaminated clothing before reuse.  
P405 Store locked up  
P501 Dispose of container in accordance with local regulations

**RESPONSE**

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302+361+354 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.  
P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+354+338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing.

**HAZARD(S) NOT OTHERWISE CLASSIFIED:**

None known

This product does not contain substances identified as PBT or vPvB.

This product does not have a workplace exposure limit.

## Pro-Foam+

### SECTION 3. INFORMATION ON INGREDIENTS

INGREDIENT	EC No.	CAS No.	WT%	GHS CLASSIFICATION(S)
Sodium Hydroxide	215-185-5	1310-73-2	15-30	Skin Corr 1A, Eye Dam 1
Sodium Silicate	215-687-4	1344-09-8	<5	Skin Corr 1B, Eye Dam 1
Metanil Yellow	209-608-2	587-98-4	<1	Skin Sens 1
Potassium Hydroxide	215-181-3	1310-58-3	<1	Skin Corr 1A, Acute Tox 4 (o)
2-(2-Nonylphenoxy)ethanol; phosphoric acid	610-741-7	51811-79-1	<1	Skin Corr 1A, Eye Dam 1
Edetic Acid	200-573-9	64-02-8	<1	Eye Dam 1, Acute Tox 4 (o)

#### NOTE:

This product may contain other ingredients that are not required to be disclosed on this safety data sheet or product label in accordance with Regulation EC No. 1272/2008 (CLP). Any ingredient not listed on either the SDS or label is not considered hazardous to health and shouldn't pose a risk to the user.

### SECTION 4. FIRST AID MEASURES

#### GENERAL FIRST AID MEASURES:

If medical attention is required due to exposure then be sure to take product label or safety data sheet when seeking medical care.

#### IF INHALED:

Move person to fresh air and keep at a comfortable position for breathing. Administer artificial respiration if person is not breathing.

#### IF IN EYES:

Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### INDICATION OF IMMEDIATE MEDICAL ATTENTION:

Seek immediate medical attention if exposed to skin or eyes, especially if severe irritation occurs.

#### MOST IMPORTANT SYMPTOMS:

Skin and eye exposure may cause permanent damage.

#### IF ON SKIN:

Immediately wash with soap and water. Take off contaminated clothing and wash it before reuse.

#### IF SWALLOWED:

Do NOT induce vomiting unless instructed to do so by a trained medical professional. Rinse mouth with water.

### SECTION 5. FIRE-FIGHTING MEASURES

#### SUITABLE EXTINGUISHING MEDIA:

Sand, powder extinguisher, dry chemical.

#### UNSUITABLE EXTINGUISHING MEDIA:

Water.

#### SPECIFIC HAZARDS:

Can react with certain metals, such as aluminum, to produce flammable hydrogen gas.

#### HAZARDOUS COMBUSTION PRODUCTS:

May produce corrosive and/or toxic fumes.

#### SPECIAL PROTECTIVE EQUIPMENT:

Not determined.

#### PRECAUTIONS FOR FIRE-FIGHTERS:

Not determined.

## Pro-Foam+

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS:

Remove non-emergency personnel from the area in an orderly fashion.

#### EMERGENCY PROCEDURE(S):

Cover drains to prevent spill from entering waterways. Evacuate non-emergency personnel from the area. Shut off all sources of ignition.

#### REFERENCES:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### PROTECTIVE EQUIPMENT:

Use appropriate chemical-resistant gloves and eye protection.

#### METHODS FOR CONTAINMENT:

Cover drains and ventilate area to prevent vapor build-up.

#### METHODS FOR CLEAN UP:

Residues from spills can be diluted with water. Absorb caustic residue in clay, vermiculite, or other inert substance and package in suitable container for storage.

### SECTION 7. HANDLING AND STORAGE

#### PRECAUTIONS FOR SAFE HANDLING:

Keep away from all ignition sources. Do not smoke while handling.

#### STORAGE INCOMPATABILITIES:

Acids, water.

#### CONDITIONS FOR SAFE STORAGE:

Keep cool in a well-ventilated place away from sunlight. Ensure local and adequate ventilation. Keep container tightly sealed in its original container.

#### SPECIFIC END USE:

HVAC maintenance use.

### SECTION 8. EXPOSURE CONTROLS

#### INGREDIENT

Sodium Hydroxide

#### TWA

n/a

#### STEL

2 mg/m<sup>3</sup>

#### NATION

GB

Sodium Silicate

n/a

n/a

GB

Metanil Yellow

n/a

n/a

GB

Potassium Hydroxide

n/a

2 mg/m<sup>3</sup>

GB

2-(2-Nonylphenoxy)ethanol;  
phosphoric acid

n/a

n/a

GB

Edetic Acid

n/a

n/a

GB

#### GENERAL NOTE:

Practice good industrial hygiene. Wash hands after handling and use.

#### APPROPRIATE ENGINEERING CONTROLS:

Ensure mechanical ventilation.

#### EYE/FACE PROTECTION:

Eye protection is required. Wear goggles or another form of chemically resistant eye protection.

#### SKIN PROTECTION:

Glove and hand protection is required. Wear gloves suitable for chemical protection.

#### RESPIRATORY PROTECTION:

No anticipated protective equipment is required.

#### ENVIRONMENTAL PROTECTION:

No anticipated protective equipment is required.

## Pro-Foam+

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Yellow liquid.	ODOUR:	Not determined.
pH:	13.	ODOUR THRESHOLD:	Not determined.
MELTING POINT:	-3,9°C.	BOILING POINT:	>104°C.
FLASHPOINT:	Not determined.	EVAPORATION RATE:	Not determined.
FLAMMABILITY:	Not determined.	UPPER EXPLOSIVE %:	Not determined.
VAPOUR PRESSURE:	Same as water.	LOWER EXPLOSIVE %:	Not determined.
VAPOUR DENSITY:	Not determined.	RELATIVE DENSITY:	1,095.
SOLUBILITY:	Miscible.	PARTITION COEFFICIENT:	Not determined.
AUTO-IGNITION:	Not determined.	DECOMPOSITION TEMP:	Not determined.
VISCOOSITY:	Not determined.	OXIDIZING PROPERTIES:	Not determined.

### SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY:**

Not anticipated to be reactive.

**HAZARDOUS REACTIONS:**

Not determined.

**INCOMPATIBLE MATERIALS:**

Fluorine, acids, water, metals, halogenated hydrocarbons, maleic anhydride.

**CHEMICAL STABILITY:**

Chemical is anticipated to be stable in normal storage conditions.

**CONDITIONS TO AVOID:**

Heat, sources of ignition, direct sunlight, etc.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

None known.

### SECTION 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY ESTIMATES:**

Oral – >2.000 mg/kg bw.

Dermal – Contains no ingredient(s) considered toxic.

Inhalation – Contains no ingredient(s) considered toxic.

**SENSITIZATION:**

Respiratory: Contains no ingredient(s) applicable to this category.

Skin: Contains ingredient(s) below reporting thresholds.

**REPRODUCTIVE TOXICITY:**

Contains no ingredient(s) applicable to this category.

**ASPIRATION HAZARD:**

Contains no ingredient(s) applicable to this category.

**SYMPTOMS RELATED TO CHARACTERISTICS:**

Not determined.

**SKIN CORROSION/IRRITATION:**

May cause permanent skin damage if exposed.

**EYE DAMAGE/IRRITATION:**

May cause permanent eye damage if exposed.

**GERM CELL MUTAGENICITY:**

Contains no ingredient(s) applicable to this category.

**CARCINOGENICITY:**

Contains no ingredient(s) applicable to this category.

**SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:**

Contains no ingredient(s) applicable to this category.

**SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:**

Contains no ingredient(s) applicable to this category.

**DELAYED AND IMMEDIATE EFFECT FROM SHORT-****AND LONG-TERM EXPOSURE:**

Not determined.

## Pro-Foam+

### SECTION 12. ECOLOGICAL INFORMATION

**ECOTOXICITY:**

Algae – Contains no ingredient(s) considered toxic.  
Fish – Contains no ingredient(s) considered toxic.  
Crustacea – Contains no ingredient(s) considered toxic.

**MOBILITY IN SOIL:**

Not determined.

**RESULTS OF PBT and vPvB ASSESSMENT:**

Not identified as a PBT or vPvB substance.

**PERSISTENCE AND DEGRADEABILITY:**

Not determined.

**BIOACCUMULATIVE POTENTIAL:**

Not determined.

**OTHER ADVERSE EFFECTS:**

None known.

### SECTION 13. DISPOSAL CONSIDERATIONS

**DISPOSAL OF EMPTY CONTAINERS:**

Please recycle container with a licensed recycling company.

**SEWAGE DISPOSAL:**

Do not dispose of mixture via sewage.

**DISPOSAL OF FULL OR PARTIALLY FULL CONTAINERS:**

Dispose in accordance with all local regulations. Contact a licensed waste management company for questions on disposal procedures.

**SPECIAL PRECAUTIONS FOR WASTE TREATMENT:**

Not determined.

### SECTION 14. TRANSPORT INFORMATION

**HAZARD PLACARD:****UN NUMBER:**

UN3266

**LTD QTY:**

<1 L

**UN PROPER SHIPPING NAME:**

Corrosive liquid, basic, inorganic, nos  
Sodium Hydroxide & Sodium Silicate mixture

**HAZARD CLASS:**

8

**PACKAGING GROUP:**

II

**ENVIRONMENTAL HAZARD:**

No.

**TRANSPORT IN BULK:**

Not determined.

**SPECIAL PRECAUTIONS:**

Do not ship with excessive weight on top. Keep in original containers.

### SECTION 15. REGULATORY INFORMATION

EC No 1005/2009: Not determined.  
EC No 850-2004: Not determined.  
Directive 79/117/EEC: Not determined.

Special Regulations for mixture: None known.  
Chemical safety assessment: Not assessed.  
REACH Registration: Contact the responsible party listed in Section 1.

**Pro-Foam+****SECTION 16. OTHER INFORMATION**

REVISION: 1

REVISION DATE: April 2024

REVISION PURPOSE:

SDS Creation.

**GENERAL DISCLAIMER:**

All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publications of use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

**SDS AUTHORED BY:**

Cogwork Consulting Group  
[www.cogworkconsulting.com](http://www.cogworkconsulting.com)